

## WHAT IS CLAIMED IS:

*Sub B1*

5

- A block polymer comprising:  
 i) one or more cationic group-containing units; and  
 ii) optionally one or more additional building block units;

provided that the block polymer has an average cationic charge density of about 15 or less.

*Sub C2*

10

The block polymer according to Claim 1 wherein said block polymer further

*comprises:*

- iii) one or more units having one or more hydroxyl groups,  
 provided that said polymer has a Hydroxyl Group Density  
 of about 0.5 or less.

15

The block polymer according to Claim 1 wherein said block polymer further

*comprises:*

- iv) one or more units having one or more hydrophobe groups  
 selected from the group consisting of non-hydroxyl groups,  
 non-cationic groups, non-anionic groups, non-carbonyl  
 groups, and/or non-H-bonding groups.

20

*Sub D1**cont.*

The block polymer according to Claim 2 wherein said block polymer has a  
 Hydroxyl Group Density of from about 0.0001 to about 0.4.

*Sub C3*

25

The block polymer according to Claim 1, wherein said polymer further comprises:

30

- v) units capable of having an anionic charge at a pH of from about 4 to about 12;  
 vi) units capable of having an anionic charge and a cationic charge at a pH of  
 from about 4 to about 12;  
 vii) units having no charge at a pH of from about 4 to about 12; and  
 viii) mixtures of units (v), (vi), (vii), and (viii).

*Sub D1*  
*cont.*

35


The block polymer according to Claim 5, wherein said polymer average cationic  
 charge density ranges from about 0.05 to about 5 units per 100 daltons molecular weight at a pH  
 of about 4 to about 12.

130

*Sub C4*

The block polymer according to Claim 1, wherein said polymer has an average molecular weight of from about 1,000 to about 2,000,000 daltons.

8. The block polymer according to Claim 1, wherein said block polymer comprises a  
5 cationic unit of the formula:



wherein each of  $\text{R}^1$ ,  $\text{R}^2$  and  $\text{R}^3$  are independently selected from the group consisting of hydrogen, 10  $\text{C}_1$  to  $\text{C}_6$  alkyl, and mixtures thereof;  $\text{T}$  is selected from the group consisting of substituted or unsubstituted, saturated or unsaturated, linear or branched radicals selected from the group consisting of alkyl, cycloalkyl, aryl, alkaryl, aralkyl, heterocyclic ring, silyl, nitro, halo, cyano, sulfonato, alkoxy, keto, ester, ether, carbonyl, amido, amino, glycidyl, carbanato, carbamate, carboxylic, and carboalkoxy radicals and mixtures thereof;  $\text{Z}$  is selected from the group 15 consisting of:  $-(\text{CH}_2)-$ ,  $(\text{CH}_2-\text{CH}=\text{CH})-$ ,  $-(\text{CH}_2-\text{CHOH})-$ ,  $(\text{CH}_2-\text{CHNR}^4)-$ ,  $-(\text{CH}_2-\text{CHR}^5-\text{O})-$  and mixtures thereof;  $\text{R}^4$  and  $\text{R}^5$  are selected from the group consisting of hydrogen,  $\text{C}_1$  to  $\text{C}_6$  alkyl and mixtures thereof;  $\text{z}$  is an integer selected from about 0 to about 12;  $\text{A}$  is  $\text{NR}^6\text{R}^7$  or  $\text{NR}^6\text{R}^7\text{R}^8$  wherein each of  $\text{R}^6$ ,  $\text{R}^7$  and  $\text{R}^8$ , when present, are independently selected from the group consisting of  $\text{H}$ ,  $\text{C}_1\text{-C}_8$  linear or branched alkyl, alkyleneoxy having the formula:

20




wherein  $\text{R}^9$  is  $\text{C}_2\text{-C}_4$  linear or branched alkylene, and mixtures thereof;  $\text{R}^{10}$  is hydrogen,  $\text{C}_1\text{-C}_4$  alkyl, and mixtures thereof; and  $y$  is from 1 to about 10.

25




*Sub D1 cont*

9. The block polymer according to Claim 1, wherein said block polymer comprises a cationic unit of the formula selected from the group consisting of:




Sub D1  
cont.

139



*Sub Q1  
cont*



5

10


10. The block polymer according to Claim 1 wherein the block polymer is selected from the group consisting of:

15



20

25



30




5  
Sb  
A 1  
10  
Cont.



15



25




30


35

5

*Sub  
A  
Cont.*




15



20

25

30



35

wherein  $\text{R}^1$  is selected from  $\text{H}$  and  $\text{CH}_3$ ;  $\text{R}^2$  is selected from  $\text{H}$  and  $\text{SO}_3\text{H}$ ;  $x$  represents the total number of monomer units within the block polymer;  $m, n, o, p, q$  when present, represent the mole ratio of their respective monomeric units in a given block polymer where at least two different monomeric units are present in the block polymer.

*Sub B3*


11. A block polymer comprising at least a first homopolymeric unit comprising a series of first cationic monomeric units and at least a second homopolymeric unit comprising a series of second polymeric units,

5 at least said first monomeric units capable of having a cationic charge at a pH of from about 4 to about 12;

provided that said polymer has an average cationic charge density from about 0.05 to about 5 units per 100 daltons molecular weight at a pH of from about 4 to about 12.

10 12. A block polymer comprising at least one homopolymeric block of monomeric units A and at least one member of the group consisting of a homopolymeric block of monomeric units B and a homopolymeric block of monomeric units C:

A. said block of cationic monomeric units A having a Formula I:







wherein R<sup>1</sup> is H or an alkyl having 1 to 10 carbon atoms,

20


*Sub B3  
cont.*

144

R<sup>2</sup> is a moiety selected from the group consisting of




, and



5

wherein R<sup>3</sup> is selected from the group consisting of


10



a is an integer from 0 to 16; b is an integer from 2 to 10; c is an integer from 2 to 10; d is an integer from 1 to 100;

15

R<sup>4</sup> and R<sup>5</sup> are independently selected from the group consisting of -H, and



20

R<sup>8</sup> is independently selected from the group consisting of a bond and an alkylene having 1 to 18 carbon atoms;


R<sup>9</sup> and R<sup>10</sup> are independently selected from the group consisting of -H, alkyl having 1 to 10 carbon atoms;

25


R<sup>12</sup> and R<sup>13</sup> are independently selected from the group consisting of H and alkyl having from 1 to 10 carbon atoms;

*Sub B3  
cont*

145




5



10

wherein  $t$  is an integer from 2 to 10;

- B. said monomeric unit B is selected from the group consisting of:  
a monomeric unit of Formula IV




15

IV


20

wherein  $R^{20}$  is selected from the group consisting of H and  $CH_3$ ;  
 $R^{21}$  is selected from the group consisting of:




25


*Sub B3  
cont*



5




10




wherein e is an integer from 3 to 25;

15



wherein f is an integer from 0 to 25;

20



✓

25


wherein g is an integer from 1 to 100,

h is an integer from 1 to 100,

R<sup>23</sup> is -H, -CH<sub>3</sub> or -C<sub>2</sub>H<sub>5</sub>,

R<sup>24</sup> is -CH<sub>3</sub> or -C<sub>2</sub>H<sub>5</sub>;

30




*Sub B3  
case*


147

wherein j is an integer from 1 to 25;

5




10



15

wherein k is an integer from 1 to 25;


20



-NH-(CH<sub>2</sub>)<sub>r</sub>-NH<sub>2</sub>·HCl, wherein r is an integer from 1 to 25; and

a polyhydroxy monomeric unit of Formula VI:

25




VI

wherein w is an integer from 1 to 50; and

C. monomeric unit C is selected from the group consisting of:

30




✓


*Sub B3 cont.*

wherein R<sup>25</sup> is -H or -CH<sub>3</sub>,

5



and



10

wherein R<sup>26</sup> is -H or CH<sub>3</sub>, and

x represents the total number of monomeric units within the block polymer; m, n, o, when present, represent the mole ratio of their respective monomeric units in a given block polymer, wherein at least two different monomeric units are present in the block polymer.

*Sub D1 cont.*

13. The block polymer of Claim 12, wherein m is greater than 1, n is greater than 1 and o is greater than 1.

20


14. The block polymer of Claim 12, wherein said polymer comprises at least one said monomeric unit A, at least one said monomeric unit B and at least one said monomeric unit C.

DRAFT EDITION 10

149

*Sub D1*  
15. The block polymer of Claim 12, wherein said at least one monomeric unit A is selected from the group consisting of:

5



10

wherein R<sup>30</sup> is H or -CH<sub>3</sub>,

15


wherein R<sup>31</sup> is a bond or  $\text{C}=\text{O}$ , and

20

R<sup>32</sup> and R<sup>33</sup> are -CH<sub>3</sub> or -C<sub>2</sub>H<sub>5</sub>.

*Sub B4*  
16. The polymer of Claim 15, wherein said polymer is a terpolymer, said at least one monomeric unit B is selected from the group consisting of:


25



wherein R<sup>38</sup> is selected from the group consisting of H and CH<sub>3</sub> and

30

R<sup>40</sup> is selected from the group consisting of -CH<sub>2</sub>CH<sub>2</sub>-OH and




and isomers thereof,

said terpolymer comprising said at least one monomeric unit C,

*Sub B4  
cont*


150 wherein the molar ratio of said monomeric unit A : monomeric unit B : monomeric unit C is 1 to 9 : 1 to 9 : 1 to 6 respectively.

*Section D1  
cont* 5  
17. The block polymer of Claim 12, wherein the at least one monomeric unit B has the formula:



wherein q ranges from 1 to 12.

18. The block polymer of Claim 17, wherein the polymer is a terpolymer, said at least one monomeric unit A is selected from the group consisting of:



*Sub D1  
cont'*

wherein R<sup>10</sup> is H or CH<sub>3</sub>,


R<sup>11</sup> is a bond or  $\text{---C=}$ , and R<sup>12</sup> and R<sup>13</sup> are -CH<sub>3</sub> or -C<sub>2</sub>H<sub>5</sub>, and said monomer comprises said at least one monomeric unit C.

*Sub B5  
5*


19. The polymer of Claim 18, wherein the molar ratio of monomeric unit A : monomeric unit B : monomeric unit C ranges from 1 to 9 : 1 to 9 : 1 to 3 respectively.

*Sub D1  
Cont'd*

20. The block polymer of Claim 12, wherein said at least one monomeric unit A has a formula selected from the group consisting of:



21. The block polymer of Claim 12, wherein said at least one monomeric unit B has a formula selected from the group consisting of:




and

*Sub D1  
cont*



152

5





22. The block polymer of Claim 12, wherein said at least one monomeric unit B is selected from the group consisting of:

10




wherein n is an integer from 1 to 50, preferably 2 to 30, more preferably 7 to 27,



15




20




25




30



5



10



15

23. The block polymer of Claim 12, selected from the group consisting of:

poly(HEA-co-DMAM-co-AA) terpolymer,

poly(HPA-co-DMAM-co-AA) terpolymer, and

poly(PEG-acrylate-co-DMAM-co-AA) terpolymer.

20

24. The polymer of Claim 12, selected from the group consisting of:

poly(HEA-co-DMAM) copolymer, poly(DMAM-co-butylvinylether) copolymer

and poly(2-diethylaminoethylvinyl ether-co-ethyleneglycol monovinyl ether).

25

25. A method for cleaning hair or skin comprising applying an effective amount of a cleaning composition comprising the polymer of Claim 1 and at least one detergentsurfactant to hair or skin in need of cleaning, provided that a 10% aqueous solution of said composition has a pH from about 4 to about 9.

30

26. The method of Claim 25, wherein said composition further comprises at least one member of the group consisting of a pearlizing agent, a silicone hair conditioning agent, and an antidandruff ingredient.

*Sub D1  
cont*

27. The method of Claim 26, wherein said composition comprises:

- a) said pearlizing agent
- b) a nonionic surfactant
- c) an amphoteric surfactant
- d) a glycol emulsifier
- e) water.

5

10

28. The method of Claim 26, wherein said composition comprises at least one amphoteric surfactant and said amphoteric surfactant comprises at least one member of the group consisting of:

the alkali salts of alkyl amphodipropionates, alkyl amphodiacetates, alkyl amphoglycinates, alkyl amphopropyl sulfonates and alkyl amphopropionates wherein alkyl represents an alkyl group having 6 to 20 carbon atoms.

15

29. The method of Claim 28, wherein in said at least one amphoteric surfactant the alkyl group is derived from coconut oil or is a lauryl group.

20

30. A method for cleaning hair or skin comprising applying an effective amount of a cleaning composition comprising the polymer of Claim 13 and at least one surfactant to hair or skin in need of cleaning.

25

31. A composition for cleaning hair or skin comprising:

the block polymer of Claim 1,

at least one detergentsurfactant, and at least one member of the group consisting

30

of a pearlizing agent, a silicone hair conditioning agent, and an antidandruff ingredient, provided that a 10% aqueous solution of said composition has a pH from about 4 to about 12.

32. A composition for cleaning hair or skin comprising:

the block polymer of Claim 12,

at least one surfactant, and at least one member of the group consisting of a pearlizing agent, a silicone hair conditioning agent, and an antidandruff ingredient.

*Sub D1  
cont*

33. The composition of Claim 32, wherein said silicone compound is an alpha, omega-trimethylsilyl-polydimethylsiloxane having a viscosity at 25°C of at least 25 centistokes and less than 60,000 centistokes.

5        34. A method for washing a fabric article in a washing medium comprising:  
            applying an effective amount of a laundry cleaning composition comprising the polymer of Claim 1 and at least one detergent surfactant to a fabric article in need of cleaning.

10        35. The method of Claim 34, wherein said composition washes a colored fabric article.

15        36. The method of Claim 34, wherein said composition comprises at least one member of the group consisting of an aminosilicone, a Gemini surfactant, a detergency builder, a bleach, an activator for percompound bleach, a soil suspending agent, a soil antiredeposition agent, a foam suppressant agent and a fabric softener.

20        37. The method of Claim 34, wherein said composition comprises a foam suppressant agent.

25        38. A method for washing a fabric article in a washing medium comprising:  
            applying an effective amount of a laundry cleaning composition the polymer of Claim 13 and at least one detergent surfactant to a fabric article in need of cleaning.

30        39. A composition for washing a fabric article comprising:  
            the polymer of Claim 1;  
            at least one detergent surfactant; and  
            at least one member of the group consisting of an aminosilicone, a Gemini surfactant, a detergency builder, a bleach, an activator for percompound bleach, a soil suspending agent, a soil antiredeposition agent, a foam suppressant agent and a fabric softener.

40. A method for extinguishing fire comprising applying a foam to a fire, wherein the foam comprises a foaming agent and a polymer of Claim 1.

*SuN Dl  
cont.*

41. A method for treating at least one agricultural substrate selected from the group consisting of plants, seeds and soil comprising,  
5 applying to the substrate a foam comprising at least one agricultural chemical selected from the group consisting of a herbicide, a pesticide, and a fungicide, a foaming agent and a polymer of Claim 1.
42. A method comprising, injecting into a subterranean formation, a foam comprising a foaming agent and a polymer of Claim 1.
- 10 43. A method comprising shaving hair from skin comprising applying foam shaving cream to the skin, said shaving cream comprising a foaming agent and a polymer of Claim 1.
- 15 44. A method comprising shaving hair from skin comprising applying a shaving gel to the skin, said gel comprising a foaming agent and a polymer of Claim 1.
45. A method for removing hair from skin comprising applying a depilatory foam to skin, said foam comprising a foaming agent and a block polymer of Claim 1.
- 20 46. A method of cleaning hard bathroom surfaces comprising applying to said surfaces a foam cleaner comprising a foaming agent and a polymer of Claim 1.
- 25 47. A process for making paper comprising aiding retention of titanium dioxide on the paper during the paper making comprising treating the paper with an aqueous solution comprising titanium dioxide and a polymer of Claim 1.

00000000000000000000000000000000

